

RapidDoc™ Mobility Cart Mobile Workstation

Tablet Solutions



Dock, Work, and Go

Work comfortably at the cart, or easily undock the tablet for a more interactive experience.

Connected Convenience

Seamlessly works with up to 4 peripherals (such as keyboard, mouse, scanner) when docked.

Effortless Undocking

Securely locked, yet easily released with a simple PIN code.

All-Day Power

Up to 24 hours of continuous mobile operation.

Universal Charging

Supports charging any USB-C based tablet with up to 65W of variable charging power.

Personalized Comfort

Adjust the height, tilt, and side-to-side to find your perfect viewing angle.

Built-in Workspace

Stay organized with a built-in shelf, sliding drawer, and mouse shelf.

Applications:

- Clinic patient rooms
- Patient registration
- Vaccination sites
- Pharmacies
- Mobile workstation in warehouse
- Site surveys and inspections
- Virtual training or tutoring
- On-the-job training



Click or Scan for Product Video



GENERAL SPECS

Dimensions: 1210mm H x 690mm W x 470mm D (47.6" H x 27.2" W x 18.5" D)

Footprint: 457mm W x 533 mm D (18" W x 21" D)

Weight: 63Kg (139 lbs)

Material: steel, aluminum alloy, plastic

Weight Capacity: 4 lbs (2 kg) for table; 4 lbs (2 kg) for drawer

Drawers: 1 built-in pull-out drawer with storage dimensions 400mm W x 300mm D x 50mm H (15.7" W x 11.8" D x 2" H)

Warranty: 1 year limited warranty, extended warranty plans available

TABLET MOUNT

Supported Tablets: USB-C tablets including Microsoft Surface Pro, iPad, AAVA, and Samsung Galaxy

Features: VESA mount, adjustable tilt, side-to-side adjustment, PIN undock, RFID card undock

Charging: Up to 65W of variable charging power for any USB-C based tablet

Tablet Height Range: 1200mm-1600mm (47.2" – 63")

MOBILITY

Casters: 4" casters, 360° swivel, nylon covers, locking brakes

WORK SURFACE

Size: 508mm W x 381mm D (20" W x 15" D)

Material: Plastic

Work Surface Height Range: 37.5" – 53" from floor (15.5" of adjustable range)

Peripherals: 4 USB-A ports to support plug-in accessories such as keyboard, mouse, and barcode scanner

SAFETY

Compliance: FDA

Safety Features: Anti-tip mechanisms

Certifications: ISO13485

BATTERY SPECIFICATIONS

Runtime: Up to 24 hours of continuous operation while mobile

Shelf Life: 1 year

Cycle Life: 80%+ capacity after 500 cycles



PART NUMBERS

SKU	Description
185-01526	RapidDoc Mobility Cart (Includes cart, battery, power supply, AC power cord, RapidDoc mount EZ Back, cables, drawer, mouse pouch, mouse slide-out shelf, USB hub, and casters. Includes limited 1-year warranty) Does not include tablet, tablet case, or peripherals (keyboard, mouse, etc.)
EXTSTDWARR-1	1 year extended warranty (includes parts and shipping, cart battery not covered)
EXTSTDWARR-2	2 year extended warranty (includes parts and shipping, cart battery not covered)
190-00032	Cart Post USB-C Cable with Coil (USBC on RapidDoc to USBC on battery)
190-00033	Cart Post USB Peripheral Cable (micro-USB on RapidDoc to USB hub)
190-00034	4-Port USB Peripheral Hub
190-00031	Mobility Cart Deep Drawer
190-00035	600WH Replacement Power Bank
190-00036	Mobility Cart Main Tower Post
190-00037	600WH AC Power Supply
190-00038	Mobility Cart Base with Wheels
190-00039	AC Power Cord with Clip
190-00040	USB-C RapidDoc® Lite Wall Mount Base
190-00041	USB-C Easy Back with Adhesive
190-00042	Mouse Pouch
190-00043	Spare Screws and Bolts
003-0056-00	Security Hex Wrench Tool "Red-handled Tool"